



Optima
PRODUCTS INC.



Dyn-Ergo S-150-18 Chair
Shown with burgundy vinyl



Evolution S-250-18 Chair
Shown with Silvertex Meteor vinyl

*The solution for safer independent mobility, better positioning,
improved comfort, enhanced dignity, and fall reduction.*

Dyn-Ergo & Evolution

Mobility Chairs

Standard Features

- Adjustable seat height.
- Adjustable seat depth.
- Gas spring assisted tilt-in-space with 8 mounting points makes tailored position change easier.
- Adjustable seat back angle.
- Adjustable armrest height.
- New graphite color silver nitrate impregnated powdercoat paint for improved infection control and outstanding durability.



Evolution S-250 Mobility Chair

New Options

- 1** Fully adjustable elevating leg rest (optional).
 - 2** Full-width padded footboard (optional).
 - 3** Activity tray with clear window (optional).
- Contoured headrest (optional).
 - Quick release seat depth adjustment (optional).
 - Perineal abductor with universal black fixing mat (optional).
 - Adjustable tension backrest (optional).
 - Silver nitrate impregnated Silvertex vinyl for improved infection control (optional).



Dyn-Ergo S-150 Scoot Chair



1



2



3

Dyn-Ergo & Evolutions Chairs – Options and Accessories

More images showing different configurations can be viewed on our Website: <http://www.lpmedical.com>



Item	Description	S-150	S-250
SA-10	Swing-Away Self-Storing Removable Footrests	✓	—
SA-10L	Left Footrest	✓	—
SA-10R	Right Footrest	✓	—
SA-15	Swing-Away Self-Storing Removable Footrests	—	✓
SA-15L	Left Swing-Away Footrest	—	✓
SA-15R	Right Swing-Away Footrest	—	✓
SA-20	Structural Lateral Supports	✓	✓
SA-30	13" (33cm) Rear Wheels with Handbrakes	✓	—
SA-35	Set of 4 Multi-Directional Total Lock 5" (13cm) Casters	✓	—
SA-40	Activity Tray	✓	✓
SA-40-2	Activity Tray with Clear Window	✓	✓
SA-45	Storage Support for Activity Tray	✓	✓
SA-50	Cervical Support	✓	✓
SA-60	Pre-Cure Cushion Allows the Insertion of Specialty Pressure Management Gels/Foams	✓	✓
SA-70	Heel Support Loops	✓	✓
SA-75	Height Adjustable I/V Pole	✓	✓
SA-80	Increased Seat Depth Option Adjustable from 15 1/2" to 20 3/4" (39cm to 53cm)	✓	✓
SA-85	Quick Release Seat Depth Adjustment	✓	✓
SA-90	Increased Seat Height Option Adjustable from 16 1/2" to 21 1/2" (42cm to 55cm). Conflicts with SA-30 Option.	✓	—
SA-120	Full-Width Padded Footboard (Requires SA-10 Option)	✓	✓
SA-130R	Adjustable Elevating Leg Rest (Right)	✓	✓
SA-130L	Adjustable Elevating Leg Rest (Left)	✓	✓
SA-215 (width)	Adjustable Tension Backrest	✓	✓
RA-03	Lateral Security Straps for Activity Tray	✓	✓
RA-03A	Full Table Security Strap for Activity Tray	✓	✓
RA-19	Perineal Abductor with Universal Black Fixing Mat	✓	✓
RA-23	4" (10cm) Adjustable Lateral Trunk Supports	✓	✓
RA-24	6" (15cm) Adjustable Lateral Trunk Supports	✓	✓
AB-08-H	Contoured Headrest	✓	✓
AE-02	Catheter Drainage Bag Hook	✓	✓

Contract grade leatherette upholstery standard, Silvertex vinyl or Crypton fabric available. Conforms to CA Technical Bulletin 117-2013.

Technical Specifications

Model	S-150 (Dyn-Ergo)					S-250 (Évolution)				
	16	18	20	22	24	16	18	20	22	24
Maximum Length	58"/147cm					57"/145cm				
Minimum Length	31"/79cm					32"/81cm				
Overall Width	23"/58cm	25 1/2"/65cm	27"/69cm	29"/74cm	30 1/2"/77cm	25 1/2"/65cm	28"/71cm	29 1/2"/75cm	31 1/2"/80cm	33"/84cm
Overall Width with SA-30 Option	27"/69cm	29 1/2"/75cm	31"/79cm	33"/84cm	34 1/2"/88cm	—	—	—	—	—
Maximum Height	54"/137cm					54 1/2"/138cm				
Minimum Height	36 1/2"/93cm					38"/97cm				
Seat Width	15 1/2"/39cm	18"/46cm	19 1/2"/50cm	21 1/2"/55cm	23"/58cm	15 1/2"/39cm	18"/46cm	19 1/2"/50cm	21 1/2"/55cm	23"/58cm
Seat Depth	Adjustable from 13 3/4" to 18" (35 to 46cm)					Adjustable from 16" to 21"/41 to 53cm				
Seat Height	Adjustable from 13 1/2" to 18 1/2"/34 to 47cm					Adjustable from 6" to 9 3/4"/15 to 25cm				
Armrest Height from Seat	Adjustable from 8" to 9 1/2"/20 to 24cm					Adjustable from 95 to 115 degrees				
Seat-to-Backrest Angle	Adjustable from 95 to 115 degrees					Adjustable from 95 to 115 degrees				
Maximum Tilt (Depends on Adjustments)	34 degrees					23 degrees				
Weight without Accessories	46lbs/21kg	49lbs/22kg	52lbs/24kg	62lbs/28kg	65lbs/29kg	70lbs/32kg	73lbs/33kg	76lbs/34kg	86lbs/39kg	89lbs/40kg
Weight Capacity	250lbs/113kg					250lbs/113kg				

Technical specifications are subject to change without notice.

Upholstery colors depicted in print or on a monitor may differ from the actual fabric color.

Dyn-Ergo & Evolution



Applications

The S-Series Dyn-Ergo Scoot Chair and Evolution mobility chairs promote comfortable and safe independent mobility especially for individuals at risk of falls. The adjustable seat height enables efficient foot propulsion while tilt-in-space reduces sliding, promotes proper posture and helps distribute pressure. The Evolution permits both foot and/or arm propulsion and its center mounted wheelchair wheels are easily operated by users with limited arm strength and range of motion. A wide range of adjustments, sizes, and options makes configuring a Dyn-Ergo or Evolution to individual needs possible and re-assignment easier. Moreover, their friendly appearance, improved mobility and enhanced comfort make them a welcomed alternative to a geriatric chair or wheelchair.

Our products – The complete line



Comp-Position
Positioning Chair



Dyn-Ergo
Scoot Chair



Evolution
Mobility Chair



Harmony
Care Recliner



Nomad
Mobile Comfort



Optimum
Posturo-Pedic
Positioning Chair



Wood
Thera-Glide®
Safety Glider



Decorative Metal
Thera-Glide®
Safety Glider



Transitional Style
Thera-Glide®
Safety Glider



Utility
Stacking Chair



Versatile
Adjustable Patient
Room Chair



Pre-Cure
Pressure Relief-Insert
Ready Cushion



Anti-Slip Surface
Posturo-Pedic
Positioning Aid

**Contact us for
more details
on our range of
products, or visit
our website.**



LPA MÉDICAL INC. www.lpamedical.com
2527, Avenue Dalton | Québec (Québec) G1P 3S6
T 418 681-1313 • 800 663-4863 | F 418 681-4488



OPTIMA PRODUCTS INC.
2230 Edgewood Avenue – STE 3 A
St. Louis Park, MN 55426, USA
U.S. Office: (952) 745-0027
Toll free: 1 888 990-9394 • Fax: (952) 745-0197