positioning tilt-in-space chair

Comp-Position O Series

FOCUSED ON WHAT MATTERS



S P E C I A L T Y H E A L T H C A R E S E A T I N G



Shown in Silvertex Ice vinyl with removable armrests (0A-03) and 13" optional wheels (0E-01)

Optima PRODUCTS INC.

Comp-Position

positioning tilt-in-space chair



PRE-CURE® seat cushion composed of high resilience foam and visco gel memory foam

This cushion is standard and is designed to help prevent pressure ulcers $% \left(1\right) =\left(1\right) \left(1\right) \left$

Various adjustments:

- Seat width
- Floor-to-seat height
- Backrest width







13" optional
rear wheels (code 0E-01)
 with central brake

Adjustable and easily reallocated

- + Meets the highest standards of positioning, comfort and security.
- + Suitable for different morphologies and posture problems.
- + Enables safe transfers both independently and with the help of a patient lift.
- + Makes it easier for caregivers to reduce the risk of accidents at work.
- + Reduces inventory and costs as its adjustments enable easy reassignment.



OPTIONS AND ACCESSORIES

ITEM	D ACCESSORIES I DESCRIPTION	
AE-02	Catheter drainage bag hook	
0A-01	1 ½" side bolsters	
0A-03	Removable armrests	
0A-04	PRE-CURE® PRO cushion	
0A-06	Additional seat cushion	
0B-02	Adjustable tension backrest	
0B-03	4" [10 cm] lateral trunk support	
0B-04	6" [15 cm] lateral trunk support	
0B-05	Adjustable structural lateral supports	
0B-06	Adjustable shoulder supports	
0B-07	Gas cylinder assisted back angle adjustment 98 to 135 degrees	
0B-08	Additional backrest cushion	
0C-01	Opaque activity tray	
0C-02	Activity tray with Lexan window	
0C-03	Padded leatherette tray cover	
0C-04	Hemiplegic armrest pad	
0D-01	Padded leatherette footboard cover	
0D-02	Lateral leg protectors	
OD-03	Elevating footrest cushion	
0E-01	13" wheels with central brake	
0E-03	IV pole	
0E-012	13" wheel side brakes	
RA-03	Lateral tray straps	
RA-03A	Wrap-around tray strap	
RA-19	Universal perineal abductor kit with black fixing mat	

Vinyl upholstery standard. Crypton fabric and Silvertex vinyl available as an option. Meets CA TB117-2013 fire standards..

TECHNICAL SPECIFICATIONS

I I	Série O
Overall width	25 ³ / ₄ " / 65.4 cm
Overall depth (chair upright)	34 ¹ / ₂ " / 87.6 cm
Overall depth (chair tilted, reclined and extended)	65" / 165.1 cm
Overall height	53 ¹ / ₄ " / 135.3 cm
Floor-to-seat height	19" to 21" / 48.3 cm to 53.3 cm
Seat width between armrests	16 $^{1}/_{4}"$ to 19 $^{1}/_{4}"$ / 41.3 cm to 48.9 cm
Seat depth	$15^{\rm 1/2}$ to $19^{\rm 1/2}$ / $39.4cm$ to $49.5cm$
Backrest height	22 ¹ / ₂ " / 57.2 cm
Backrest height with headrest	34" / 86.4 cm
Lenght of leg rest (closed)	$16~^{1}\!/_{2}"$ to $18~^{1}\!/_{2}"$ / $41.9~\text{cm}$ to $47~\text{cm}$
Leg rest extension	$4^3/_4$ " to $5^3/_4$ " / 12 cm to 14.6 cm
Armrest height	7 ¹ / ₄ " to 12 ¹ / ₄ " / 18.4 cm to 31.1 cm
Maximum tilt	45 degrees
Seat / backrest angle	90 to 115 degrees
Total weight w/o accessories	104 lbs. / 47 kg
Maximum weight	250 lbs. / 113.4 kg

Please note that technical specifications are subject to change without notice.

our complete product range

MAINTAINING PATIENT AUTONOMY



COMFORT AND POSITIONING



ACCESSORIES



Visit our website or contact us for more details about our range of products.

[Lpa]

lpamedical.com

2527 Dalton avenue, Quebec (Qc) G1P 3S6 CANADA T418-681-1313 1-800-663-4863 F418-681-4488

